




GR Product Name: Napa Sofa
GR Product Number: 183105
Assembled Dimensions: 32"H x 79"W x 31.875"D



Product Specialist: 800-491-4958
Online: www.grandinroad.com



ASSEMBLY INSTRUCTIONS

Napa Sofa




Prevent accidentally discarding small parts or hardware. Retain all carton contents until assembly and installation are complete.

PRODUCTS ARE NOT INTENDED
FOR COMMERCIAL USE.





MADE IN VIETNAM





UPDATED: 12/13/2024

Page 1 of (9)

 Assemble in location for intended use.

STEP 1: Please **CONFIRM** you have the necessary parts to complete the assembly.

Ltr.	Qty.	Hardware Included	
F	8	Long Bolt w/ Washers (1/4"x45mm)	
G	4	Medium Bolt w/ Washers (1/4"x35mm)	
H	2	Short Bolt w/ Washers (1/4"x20mm)	
I	2	Dowel (10x30mm)	


Ltr.	Qty.	Components	Ltr.	Qty.	Components
A	1	 BACK and SEAT	B	2	 ARM
C	2	 CENTER SUPPORT	D	3	 SEAT CUSHION



Product Specialist: 800-491-4958
Online: www.grandinroad.com


 Assemble in location for intended use.

STEP 1: Please **CONFIRM** you have the necessary parts to complete the assembly. *(Continued)*

Ltr.	Qty.	Components
E	3	 BACK CUSHION

REQUIRED TOOLS:

-Allen Wrench




ASSEMBLY TIME: 20 minutes
(NOT including unpackaging)


Remove all parts, hardware and protective packaging from carton and carefully arrange on a clean, level, padded surface.

STEP 2: Unfold the Back and Seat (A) like shown.

Then, **INSERT** Dowel (I)x1 into the center predrilled hole on the side of the seat, as shown.




STEP 3: With help, **ALIGN** Arm (B)x1 over BACK and SEAT (A) so the bolt holes are aligned and the dowel in the Seat inserts into the predrilled center hole of the Arm (B)x1, as shown.




STEP 4: **FASTEN** Back and Seat (A) to the Arm (B)(x1) with Long Bolts w/ Washers (F) x4 and Short Bolt w/ washers (H)x1 first by hand, then tightening with the provided Allen Wrench, as shown below.

NOTE: Do Not Over-tighten Bolts. Tighten Evenly.




STEP 5: **INSERT** the second Dowel (I)x1 into the center hole on the other side of the Back and Seat(A) as shown. Then, with help, **FLIP** the assembly over, and **ALIGN** the seat assembly over the remaining Arm (B)x1 so the bolt holes match up and the dowel is inserted into the corresponding center hole in the Arm (B)x1.




STEP 6: **FASTEN** Chair Assembly to the Arm (B)x1 with Long Bolts w/ Washers (F)x4 and Short Bolt w/ washers (H)x1 first by hand, then tightening with the provided Allen Wrench, as shown below.


NOTE: Do Not Over-tighten Bolts. Tighten Evenly.



STEP 7: ALIGN one Center Support (C)x1 over Seat Support so the bolt holes are aligned with the threaded inserts and the notch sits beneath the Seat Support, as shown. Then **FASTEN** with Medium Bolts w/ Washers (G)x2 through the Center Support (C)x1 into the threaded inserts in the Seat Support as shown. First tighten both by hand, then complete with the provided Allen Wrench.




STEP 8: ALIGN the second Center Support (C)x1 over the opposite Seat Support so the bolt holes are aligned with the threaded inserts and the notch sits beneath the Seat Support, as shown. Then **FASTEN** with Medium Bolts w/ Washers (G)x2 through the Center Support (C)x1 into the threaded inserts in the Seat Support as shown. First tighten both by hand, then complete with the provided Allen Wrench.




STEP 9: With Help, **ROTATE** the sofa to rest on its feet as shown.

The Sofa Frame Assembly is now complete.



STEP 10: **PLACE** Seat Cushion (D)x3 on top of Sofa Frame, with straps oriented to the back of the seat.


Then, **THREAD** the velcro straps of the SEAT CUSHION (D) through the back of the Seat Frame and **PRESS** straps together to secure to frame, like shown.



STEP 11: **PLACE** Back Cushion (D) on top of the seat cushion. Assembly is now complete.

Please do not scoot or drag furniture.

With help, pick up and place in desired location whenever possible.



STEP 13: **CLEANING AND CARE INSTRUCTIONS:**

For regular care and cleaning, periodically dust all surfaces with a dry cloth to remove residual dust and prevent dirt from building up. Vacuum with upholstery brush as needed. Avoid wood polishes with silicone contents.

No harsh cleaners or solvents should ever be used on leather or fabric upholstery. For stubborn stains and spills, a lightly damp cloth with warm water should be blotted on the stain to lift and remove it. If this does not work, a mild dish soap and water solution should be mixed and then blotted to release the stain and then blot again with dry cloth.

All wood finishes, fabric, and leathers will fade with time. Avoid direct sunlight. Avoid extreme changes in humidity. This can cause the wood components to warp and crack.



WARNING: Failure to follow these directions and warnings can result in serious injury and/or product damage.



Never stand on or use this sofa as a ladder.



Do not tip this sofa when seated.



Do not rest tilted on two back legs only.



To avoid possible damage to the seat frame, never use this item without seat cushion properly in place.



Bolts can loosen over time with use. Please check and tighten all bolts periodically.



If any parts become missing, damaged or worn, discontinue use until they are replaced with identical parts.



Do not place more than 200lbs (90kgs), evenly distributed, on any individual seat cushion.



The safe and useful life of any furniture item will vary depending upon the level of care and use it receives. Regardless of item age, stop using immediately if you notice any cracks, looseness, instability or other defects.

Please contact one of our Product Specialists for assembly assistance or questions at 1-800-491-4958 or email ps@grandinroad.com. Specialists are available weekdays 8:00am to 8:00pm EST or Saturday 9:30 am to 6:00pm.